


Drum & Dispensing Pumps



For use with Ready-to-Dispense (RTD®) maintenance-free dilution control systems.



JohnsonDiversey 

A. RTD® Water Hook-Up Kit

Designed to connect Super Concentrate RTD® formulas (sold separately) with any standard water supply hose. Kit includes instructions, 5-ft. supply hose, female quick-connect with auto stop, male quick-connect and Y-valve. 12 kits per case.

DRK 4129080 Case

UNI

B. Metal Pump

Self-priming, chrome-plated pump. Resists chemical action of noncorrosive liquids. Pumps 22 ounces per stroke. For 15-, 30- and 55-gallon drums with 2" openings.

UNS 422 Each

C. Siphon Drum Pump

Made from polyethylene for 15-, 30- and 55-gallon drums. Red.

UNS 423 Each

D. Plastic Drum Pump with Pail Adapter


Fits both ¾" and 2" openings. Includes one pail adapter that snaps onto 5-gallon pails. Pumps 8 ounces per stroke. Pump fits 15-, 30- and 55-gallon drums.

UNS 428 Each

E. Econo Dispensing Pump

Pumps one ounce per stroke. Cap (38mm) with 10¾" tube length. Ideal for oils and solvents. Fits standard gallon bottles.

UNS 417 Each



"Green cleaning" refers to the use of products and procedures that are more healthful and environmentally conscious than others serving the same function. The Environmental Standard for Cleaning Services (GS-42) is Green Seal's current standard that specifies green chemicals, supplies and equipment as well as cleaning procedures and mandates employee training and communication with building owners and occupants.

GREEN CLEANING PROCESSES

- Carefully plan and time the chemical cleaning process. Keep a schedule of events and plan to disinfect high-traffic areas and entrances more frequently than those areas where access is limited.
- Identify occupants with special needs and implement a plan sensitive to those needs. For instance, if there are allergies to the chemicals used in cleaning, or any other allergies, be sure to design the cleaning process to avoid exposing occupants. In order to identify effectively, get the word out and invite anyone with concerns to notify the staff of their specific needs.
- Reduce chemical waste by using dilution methods as instructed by the manufacturer, tracking quantities of chemicals used and using appropriate dispensing technology to limit overuse of chemicals.
- Improve indoor air quality by maintaining sufficient outdoor ventilation. Ventilate properly when chemicals are being used in cleaning. Design a ventilation system where airflow is properly reaching the interior of the building.
- Chemicals aren't the only things releasing VOCs. Certain cleaning equipment releases harmful emissions. To reduce the impact of these effects, properly maintain your equipment and/or replace with VOC Compliant equipment.
- Disinfection should be limited to surfaces where pathogens collect, such as door handles, bathrooms and other high-traffic surfaces where there is much hand contact.